


Poly Chain® GT Zahnscheiben


Zahnscheibentypen



Typ 1F




Typ 2




Typ 2F




Typ 3F




Typ 5F




Typ 6




Typ 6F




Typ 7




Typ 7F




Typ 8



Typ 9



Typ 9F



Typ 10

Poly Chain® GT Zahnscheiben – 8M

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
8M-25S-12	25	2 F	1108	63,66	62,06	70	-	49	2	20	-	22	-
8M-28S-12	28	2 F	1108	0.071	0.070	75	-	56	2	20	-	22	-
8M-30S-12	30	2 F	1210	76,39	74,79	82,5		60	5	20	-	25	-
8M-32S-12	32	2 F	1610	81,49	79,89	87		66	5	20	-	25	-
8M-34S-12	34	2 F	1610	86,58	84,98	91		69	5	20	-	25	-
8M-36S-12	36	2 F	1610	91,67	90,07	97		76	5	20	-	25	-
8M-38S-12	38	2 F	1610	96,77	95,17	102		78	5	20	-	25	-
8M-40S-12	40	2 F	1610	101,86	100,26	106	-	85	5	20	-	25	-
8M-45S-12	45	2 F	2012	114,59	112,99	120	-	92	12	20	-	32	-
8M-48S-12	48	2 F	2012	112,23	120,63	128	-	103	12	20	-	32	-
8M-50S-12	50	2 F	2012	127,32	125,72	135	-	104	12	20	-	32	-
8M-56S-12	56	2 F	2012	00.143	00.141	150	-	104	12	20	-	32	-
8M-60S-12	60	2 F	2012	152,79	151,19	158		111	12	20	-	32	-
8M-64S-12	64	2 F	2012	162,97	161,37	168		111	12	20	-	32	-
8M-75S-12	75	2	2012	190,99	189,39	-		111	12	20	-	32	-
8M-80S-12	80	2	2012	203,72	202,12			111	12	20	-	32	-
8M-90S-12	90	2	2012	229,18	227,58			111	12	20	-	32	-
Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
8M-25S-21	25	3 F	1108	63,66	62,06	70		-	-	30	8	22	-
8M-28S-21	28	3 F	1210	0.071	0.070	75		-	-	30	5	25	-
8M-30S-21	30	3 F	1210	76,39	74,79	82,5		-	-	30	5	25	-
8M-32S-21	32	3 F	1610	81,49	79,89	87		-	-	30	5	25	-
8M-34S-21	34	3 F	1610	86,58	84,98	91		-	-	30	5	25	
8M-36S-21	36	3 F	1610	91,67	90,07	97		-	-	30	5	25	
8M-38S-21	38	3 F	1610	96,77	95,17	102		-	-	30	5	25	
8M-40S-21	40	3 F	1610	101,86	100,26	106		-	-	30	5	25	
8M-45S-21	45	2 F	2012	114,59	112,99	120		92	2	30	-	32	
8M-48S-21	48	2 F	2012	122,23	120,63	128	-	103	2	30	-	32	-
8M-50S-21	50	2 F	2012	127,32	125,72	135	-	104	2	30	-	32	-
8M-56S-21	56	2 F	2012	00.143	00.141	150	-	111	2	30	-	32	-
8M-60S-21	60	2 F	2517	152,79	151,19	158	-	124	15	30	-	45	-
8M-64S-21	64	2 F	2517	162,97	161,37	168	-	124	15	30	-	45	-
8M-75S-21	75	2	2517	190,99	189,39	-	-	124	15	30	-	45	-
8M-80S-21	80	2	2517	203,72	202,12	-	-	124	15	30	-	45	-
8M-90S-21	90	9	2517	229,18	227,58	-	198	124	-	30	7,5	45	7,5
8M-112S-21	112	9	2517	285,21	283,61	-	253	124	-	30	7,5	45	7,5
8M-140S-21	140	10	3020	356,51	354,91	-	324	150	-	30	10,5	51	10,5

Poly Chain® GT Zahnscheiben – 8M

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
8M-30S-36	30	3 F	1610	76,39	74,79	82,5	-	-	-	45	-	-	-
8M-32S-36	32	3 F	1610	81,49	79,89	87	-	-	-	45	-	-	-
8M-34S-36	34	3 F	1610	86,58	84,98	91	-	-	-	45	-	-	-
8M-36S-36	36	3 F	1610	91,67	90,07	97	-	-	-	45	-	-	-
8M-38S-36	38	3 F	1610	96,77	95,17	102	-	-	-	45	-	-	-
8M-40S-36	40	3 F	2012	101,86	100,26	106	-	-	-	45	-	-	-
8M-45S-36	45	3 F	2012	114,59	112,99	120	-	-	-	45	-	-	-
8M-48S-36	48	3 F	2012	122,23	120,63	128	-	-	-	45	-	-	-
8M-50S-36	50	3 F	2012	127,32	125,72	135	-	-	-	45	-	-	-
8M-56S-36	56	3 F	2517	00.143	00.141	150	-	-	-	45	-	-	-
8M-60S-36	60	3 F	2517	152,79	151,19	158	-	-	-	45	-	-	-
8M-64S-36	64	3 F	2517	161,97	161,37	168	-	-	-	45	-	-	-
8M-75S-36	75	2	3020	190,99	189,39	-	-	150	6	45	-	51	-
8M-80S-36	80	2	3020	203,72	202,12	-	-	150	6	45	-	51	-
8M-90S-36	90	9	3020	229,18	227,58	-	197	150	-	45	3	51	3
8M-112S-36	112	9	3020	285,21	283,61	-	253	150	-	45	3	51	3
8M-140S-36	140	10	3020	356,51	354,91	-	324	150	-	45	3	51	3
8M-168S-36	168	10	3525	427,81	426,21	-	396	198	-	45	10	65	10
8M-192S-36	192	10	3525	488,92	487,32	-	457	198	-	45	10	65	10

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
8M-40S-62	40	3 F	2012	101,86	100,26	106		-	-	72		-	-
8M-45S-62	45	3 F	2012	114,59	112,99	120			-	72		-	-
8M-48S-62	48	3 F	2517	122,23	120,63	128			-	72	-	-	-
8M-50S-62	50	3 F	2517	127,32	125,72	135			-	72	-	-	-
8M-56S-62	56	6 F	2517	00.143	00.141	150	111		-	72	13,5	45	13,5
8M-60S-62	60	6 F	2517	152,79	151,19	158	121		-	72	13,5	45	13,5
8M-64S-62	64	6 F	2517	162,97	161,37	168	131		-	72	13,5	45	13,5
8M-75S-62	75	6	3020	190,99	189,39	-	159		-	72	10,5	51	10,5
8M-80S-62	80	6	3020	203,72	202,12	-	172		-	72	10,5	51	10,5
8M-90S-62	90	6	3020	229,18	227,58	-	197		-	72	10,5	51	10,5
8M-112S-62	112	7	3020	285,21	283,61	-	253	150	-	72	10,5	51	10,5
8M-140S-62	140	7	3525	356,51	354,91	-	324	198	-	72	3,5	65	3,5
8M-168S-62	168	8	3525	427,81	426,21	-	396	198	-	72	3,5	65	3,5
8M-192S-62	192	8	3525	488,92	487,32	-	457	198	-	72	3,5	65	3,5

Poly Chain® GT Zahnscheiben – 14M

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-28S-20	28	3 F	2012	124,78	121,98	128	-			33			
14M-30S-20	30	3 F	2012	133,69	130,89	138	-			33			
14M-32S-20	32	3 F	2012	00.143	00.140	154	-			33			
14M-34S-20	34	2 F	2517	151,52	148,72	160	-	117	12	33		45	
14M-36S-20	36	2 F	2517	160,43	157,63	168	-	117	12	33		45	
14M-38S-20	38	2 F	2517	169,34	166,54	183	-	117	12	33		45	
14M-40S-20	40	2 F	2517	178,25	175,45	188	-	117	12	33		45	
14M-44S-20	44	2 F	3020	196,08	193,28	211	-	144	18	33		51	
14M-48S-20	48	2 F	3020	00.214	211,11	226	-	144	18	33		51	
14M-50S-20	50	2 F	3020	222,82	220,02	240	-	144	18	33		51	
14M-56S-20	56	9 F	3020	249,55	246,76	256	207	144	-	33	9	51	9
14M-60S-20	60	9	3020	267,38	264,58	-	224	159	-	33	9	51	9
14M-64S-20	64	9	3020	285,21	282,41	-	242	159	-	33	9	51	9
14M-72S-20	72	9	3020	320,86	318,06	-	278	159	-	33	9	51	9
14M-80S-20	80	9	3020	356,51	353,71	-	314	159	-	33	9	51	9
14M-90S-20	90	10	3020	401,07	398,27	-	360	159	-	33	9	51	9
14M-112S-20	112	10	3020	499,11	496,31	-	456	159	-	33	9	51	9
14M-140S-20	140	10	3020	623,89	621,09	-	581	159	-	33	9	51	9

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-28S-37	28	5 F	2012	124,78	121,98	128	88			51	-	32	19
14M-30S-37	30	6 F	2517	133,69	130,89	138	98			51	3	45	3
14M-32S-37	32	6 F	2517	00.143	00.140	154	100			51	3	45	3
14M-34S-37	34	6 F	2517	151,52	148,72	160	109			51	3	45	3
14M-36S-37	36	5 F	2517	160,43	157,63	168	117			51	-	45	6
14M-38S-37	38	5 F	2517	169,34	166,54	183	126	-	-	51	-	45	6
14M-40S-37	40	5 F	2517	178,25	175,45	188	135	-	-	51	-	45	6
14M-44S-37	44	3 F	3020	196,08	193,28	211	-	-	-	51	-	-	-
14M-48S-37	48	3 F	3020	00.214	211,11	226	-	-	-	51	-	-	-
14M-50S-37	50	3 F	3020	222,82	220,02	240	-	-	-	51	-	-	-
14M-56S-37	56	7 F	3020	249,55	246,76	256	207	144	-	51	0	51	0
14M-60S-37	60	7	3020	267,38	264,58	-	224	159	-	51	0	51	0
14M-64S-37	64	7	3020	285,21	282,41	-	242	159	-	51	0	51	0
14M-72S-37	72	7	3020	320,86	318,06	-	278	159	-	51	0	51	0
14M-80S-37	80	7	3020	356,51	353,71	-	314	159	-	51	0	51	0
14M-90S-37	90	8	3020	401,07	398,27	-	360	159	-	51	0	51	0
14M-112S-37	112	8	3020	499,11	496,31	-	456	159	-	51	0	51	0
14M-140S-37	140	10	3525	623,89	621,09	-	581	206	-	51	7	65	7
14M-168S-37	168	10	3525	748,66	745,87	-	706	206	-	51	7	65	7
14M-192S-37	192	10	4030	855,61	852,82	-	812	215	-	51	12,5	76	12,5

Poly Chain® GT Zahnscheiben – 14M

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-44S-68	44	6 F	3020	196,08	193,28	211	153	-	-	84	16,5	51	
14M-48S-68	48	5 F	3020	00.214	211,11	226	171	-		84	-	51	33
14M-50S-68	50	6 F	3525	222,82	220,02	240	180	-		84	9,5	65	9,5
14M-56S-68	56	6 F	3525	249,55	246,76	256	207	-		84	9,5	65	9,5
14M-60S-68	60	6	3525	267,38	264,58	-	224	-		84	9,5	65	9,5
14M-64S-68	64	j6	3525	285,21	282,41	-	242	-		84	9,5	65	9,5
14M-72S-68	72	7	3525	320,86	318,06	-	278	178	-	84	9,5	65	9,5
14M-80S-68	80	7	3525	356,51	353,71	-	314	178	-	84	9,5	65	9,5
14M-90S-68	90	8	3525	401,07	398,27	-	360	178	-	84	9,5	65	9,5
14M-112S-68	112	8	3525	499,11	496,31	-	456	178		84	9,5	65	9,5
14M-140S-68	140	8	3525	623,89	621,09	-	581	206		84	9,5	65	9,5
14M-168S-68	168	8	3525	748,66	745,87	-	706	206		84	9,5	65	9,5
14M-192S-68	192	8	4030	855,61	852,82	-	812	215		84	4	76	4

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-48S-90	48	6 F	3525	00.214	211,11	226	171	-	-	106	20	66	20
14M-50S-90	50	6 F	3525	222,82	220,02	240	180	-	-	106	20	66	20
14M-56S-90	56	6 F	3525	249,55	246,76	256	207	-	-	106	20	66	20
14M-60S-90	60	6	3525	267,38	264,58	-	224	-	-	106	20	66	20
14M-64S-90	64	6	3525	285,21	282,41	-	242	-	-	106	20	66	20
14M-72S-90	72	7	3525	320,86	318,06	-	278	178	-	106	20	66	20
14M-80S-90	80	7	4030	356,51	353,71	-	314	215	-	106	15	76	15
14M-90S-90	90	7	4030	401,07	398,27	-	360	215	-	106	15	76	15
14M-112S-90	112	8	4535	499,11	496,31	-	456	215	-	106	8	90	8
14M-140S-90	140	8	4535	623,89	621,09	-	581	215	-	106	8	90	8
14M-168S-90	168	8	5040	748,66	745,87	-	706	267	-	106	2	102	2
14M-192S-90	192	8	5040	855,61	852,82	-	812	267	-	106	2	102	2

Poly Chain® GT Zahnscheiben – 14M

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-44S-68	44	6 F	3020	196,06	193,28	211	153	-	-	84	16,5	51	16,5
14M-48S-68	48	5 F	3020	213,90	211,11	226	171	-	-	84	-	51	33
14M-50S-68	50	6 F	3525	222,82	220,02	240	180	-	-	84	9,5	65	9,5
14M-56S-68	56	6 F	3525	249,55	246,76	256	207	-	-	84	9,5	65	9,5
14M-60S-68	60	6	3525	267,38	264,58	-	224	-	-	84	9,5	65	9,5
14M-64S-68	64	6	3525	285,21	282,41	-	242	-	-	84	9,5	65	9,5
14M-72S-68	72	7	3525	320,86	318,06	-	278	178	-	84	9,5	65	9,5
14M-80S-68	80	7	3525	356,51	353,71	-	314	178	-	84	9,5	65	9,5
14M-90S-68	90	8	3525	401,07	398,27	-	360	178	-	84	9,5	65	9,5
14M-112S-68	112	8	3525	499,11	496,31	-	456	178	-	84	9,5	65	9,5
14M-140S-68	140	8	3525	623,89	621,09	-	581	206	-	84	9,5	65	9,5
14M-168S-68	168	8	3525	748,66	745,87	-	706	206	-	84	9,5	65	9,5
14M-192S-68	192	8	4030	855,61	852,82	-	812	215	-	84	4	76	4

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-48S-90	48	6 F	3525	213,90	211,11	226	171	-	-	106	20	66	20
14M-50S-90	50	6 F	3525	222,82	220,02	240	180	-	-	106	20	66	20
14M-56S-90	56	6 F	3525	249,55	246,76	256	207	-	-	106	20	66	20
14M-60S-90	60	6	3525	267,38	264,58	-	224	-	-	106	20	66	20
14M-64S-90	64	6	3525	285,21	282,41	-	242	-	-	106	20	66	20
14M-72S-90	72	7	3525	320,86	318,06	-	278	178	-	106	20	66	20
14M-80S-90	80	7	4030	356,51	353,71	-	314	215	-	106	15	76	15
14M-90S-90	90	7	4030	401,07	398,27	-	360	215	-	106	15	76	15
14M-112S-90	112	8	4535	499,11	496,31	-	456	215	-	106	8	90	8
14M-140S-90	140	8	4535	623,89	621,09	-	581	215	-	106	8	90	8
14M-168S-90	168	8	5040	748,66	745,87	-	706	267	-	106	2	102	2
14M-192S-90	192	8	5040	855,61	852,82	-	812	267	-	106	2	102	2

Zahnscheiben- bezeichnung	Zähne- zahl	Typ	Buchse	Durchmesser mm			A	B	E	F	K	L	M
				Wirkdurchmesser	Außen	Bordscheibe							
14M-50S-125	50	6 F	3525	222,82	220,02	240	180	-	-	141	38	65	38
14M-56S-125	56	6 F	3525	249,55	246,76	256	207	-	-	141	38	65	38
14M-60S-125	60	6	4030	267,38	264,58	-	224	-	-	141	32,5	76	32,5
14M-64S-125	64	6	4030	285,21	282,41	-	242	-	-	141	32,5	76	32,5
14M-72S-125	72	7	4030	320,86	318,06	-	278	215	-	141	32,5	76	32,5
14M-80S-125	80	7	4030	356,51	353,71	-	314	215	-	141	32,5	76	32,5
14M-90S-125	90	7	4030	401,07	398,27	-	360	215	-	141	32,5	76	32,5
14M-112S-125	112	8	4535	499,11	496,31	-	456	215	-	141	26	89	26,0
14M-140S-125	140	8	4535	623,89	621,09	-	581	215	-	141	26	89	26,0
14M-168S-125	168	8	5040	748,66	745,87	-	706	267	-	141	19,5	102	19,5
14M-192S-125	192	8	5040	855,61	852,82	-	812	267	-	141	19,5	102	19,5